


II. SLIDING WINDOW





Detail at - jj | Detail at - ii | Detail at - nn | Detail at - dd



Detail at - al

Sliding windows are becoming increasingly popular because they are easy to operate and do not occupy space either on the interior or on the exterior.

There are several series ranging from two-track to four-track.


They are capable to being fabricated in hights ranging from a standard 4' to as high as 10'. The windows have very sophisticated facilities such as interlocking sections, groovs for weather strip, provisions for fixing locks and mosquito mesh on the outer track.


JINDAL SECTION NUMBERS FOR SLIDING WINDOWS

SECTION DESCRIPTION	SERIES - A (15 mm)			SERIES - B (18 mm)						SERIES - C (20 mm)		
	2 TRACK	3 TRACK	4 TRACK	2 TRACK		3 TRACK		4 TRACK		2 TRACK	3 TRACK	4 TRACK
SHUTTER TOP & BOTTOM	20597 20688 20809	- 20581 20597 20688 20690 20718 20809 20945 20969	- 20581 20597 20688 20690 20718 20809 20945 20969	20545 20567 20604 20652 20736 20750 20803 20805 20811	20844 20847 20963 S3762 21448 20858 20876 S4007	20545 20567 20604 20652 20736 20750 20803 20805	20811 20844 20847 20963	20545 20567 20604 20652 20736 20750 20803 20805	20811 20844 20847 20963	20529 20551 20567 20710 20988 21092	20529 20551 20567 20710 20988 21092	----
SHUTTER INTER LOCK	20655 20689 20810	20584 20655 20689 20810 20868 20947	20584 20655 20810 20868 20947	20546 20576 20605 20684 20686 20737 20804 20806 20845 20892		20546 20576 20605 20684 20686 20924 21303 20737 20804 20806	20845 20892 21454 21429 21494 S3963	20546 20576 20605 20684 20686 20737 20804 20806 20845 20892		20531 20566 20708 20840 20976 21052 21094 21356 S3573	20531 20566 20708 20840 20976 21052 21094 21356 S3573	----
SHUTTER SIDE (HANDLE)	20668 20688	20668 20688 20689 20951	20668 20688 20689 20951	20547 20577 20606 S3962 20687 20738 20802 20807 20846 20887 20893		20547 20577 20606 20687 20738 20802 20807 20846 20887 20893 21455	21449 20577 20606 20687	20547 20577 20606 -- 20687 20738 20802 20807 20846 20887 20893		20530 20544 20709 20931 20968 20975 21093 21357	20530 20544 20709 20931 20968 20975 21093 21357	----
FRAME BOTTOM	20669	20624 20664 20671 20808 20946 20960 20961	20583 20625	20619 20813 20830 20956		20620 20815 20832 20957 21446		20636 20667 20706 20818 20834		20703 21053 21139	20704 20977 21055 21099	20910 21101
FRAME - BOTTOM WITH GUTTER	-----	20616 20626 20954 20959	20618 20955	20645 20657 20965		20617 20814 21031		20674		20695	20697	-----
FRAME TOP & SIDE	20670	20672 20960	20583	20681 20812 20829 20966		20621 20702 20816 20831 20958		20635 20666 20817 20833		20694 20987 21138	20696 20978 21054 21137 21100	20911 21098


BHANSALI ALUMINIUM

II. SLIDING WINDOW





Detail at - jj | Detail at - ii | Detail at - nn | Detail at - dd



Detail at - al

Sliding windows are becoming increasingly popular because they are easy to operate and do not occupy space either on the interior or on the exterior.

There are several series ranging from two-track to four-track.

They are capable to being fabricated in hights ranging from a standard 4' to as high as 10'. The windows have very sophisticated facilities such as interlocking sections, groovs for weather strip, provisions for fixing locks and mosquito mesh on the outer track.

JINDAL SECTION NUMBERS FOR SLIDING WINDOWS

SECTION DESCRIPTION	SERIES - D (25 mm)						SERIES - E (30 mm)					
	2 TRACK		3 TRACK		4 TRACK		2 TRACK		3 TRACK		4 TRACK	
SHUTTER TOP & BOTTOM	20506 20518 20528 20639 20716 20801 20842 21143		20506 20518 20528 20639 20716 20801 20842 21143		20506 20518 20528 20639 20716 20801 20842 21143		20859 20993 20772 20984		20859 20993 20772 20984		20859 20993 20772 20984	
SHUTTER INTER LOCK	20508 20517 20711 20741 20939 21091 21145	21046 21354 21046 21380 21485	20508 20517 20711 20741 20939 21091 21145	21046 21354 21046 21380 21485	20508 20517 20711 20741 20939 21091 21145	21046 21354 21046 21380 21485	20555 20550		20555 20550		20555 20550	
SHUTTER SIDE (HANDLE)	20507 20516 20543 20602 20707 20715 20841 20857	21030 21056 21253 21144 21361 21382 21393 21484	20507 20516 20543 20602 20707 20715 20841 20857	21030 21056 21253 21144 21361 21382 21393 21484	20507 20516 20543 20602 20707 20715 20841 20857	21030 21056 21253 21144 21361 21382 21393 21484	20553 21491 20549		20553 21491 20549		20553 21491 20549	
FRAME BOTTOM	20633 20712 20873 21146		20677 20717 20798 21148 S3554		20797 20800		20836 20878		20838 20631		21175	
FRAME - BOTTOM WITH GUTTER	20676		20673				21217 21407 20660 21247		20928 21203 21293		21198 21244	
FRAME TOP & SIDE	20634 20713 20732 20874 21304 21147 21460		20678 20714 21032 21149 S3553		20796 20799		20835 21205 20877 20659		20837 20632 21206		21176 21204 21245	


BHANSALI ALUMINIUM

ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - A 15 mm.


PART I - S/W 1/2"



SL. No.	Section No.	A	Weight kg/m
1	20969	0.80	0.233
2	20945	0.90	0.263
3	20581	1.10	0.344


20946 0.238 kg/m






SL. No.	Section No.	A	Weight kg/m
1	20624	1.20	0.353
2	20961	1.00	0.304


20583 0.627 kg/m







SL. No.	Section No.	A	B	Weight kg/m
1	20868	20.50	0.70	0.220
2	20947	20.75	0.82	0.257
3	20584	20.75	1.10	0.335

20718 0.263 kg/m



20626 0.567 kg/m





SL. No.	Section No.	A	Weight kg/m
1	20955	1.13	0.759
2	20618	1.50	0.980


BHANSALI ALUMINIUM

ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - A 15 mm.

PART I - S/W 1/2"




SL. No.	Section No.	A	Weight kg/m
1	20954	1.07	0.496
2	20616	1.15	0.546


20625 0.488 kg/m




20951 0.297 kg/m



PART II - S/W 5/8"




SL. No.	Section No.	A	B	Weight kg/m
1	20809	8.20	1.08	0.329
2	20597	7.80	1.60	0.485




SL. No.	Section No.	A	Weight kg/m
1	20810	1.07	0.369
2	20655	1.50	0.487

20671 0.699 kg/m



20672 0.594 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - A 15 mm.

PART II - S/W 5/8"




SL. No.	Section No.	A	Weight kg/m
1	20808	0.98	0.414
2	20664	1.30	0.562


20668 0.377 kg/m




20669 0.548 kg/m




20670 0.432 kg/m




20689 0.481 kg/m



20690 0.366 kg/m




20688 0.371 kg/m




PART III - S/W 1/2"

20959 0.538 kg/m



20960 0.333 kg/m




BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - A 15 mm.

PART III - S/W 1/2"

20735 0.793 kg/m




20886 0.411 kg/m



BHANSALI ALUMINIUM

Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com


JINDAL WINDOW SYSTEM-CLASSIC - 18mm SERIES - 2 TRACK



JAL SEC. NO. 20555


SECTION - A-A

JAL SEC. NO. 20966




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20956




FRAME OUTER BOTTOM

JAL SEC. NO. 20965




FRAME GUTTER BOTTOM

JAL SEC. NO. 20606




SHUTTER TOP & SIDE

JAL SEC. NO. 20605




SHUTTER INTERLOCK

JAL SEC. NO. 20604




SHUTTER BOTTOM

JAL SEC. NO. 20920




SHUTTER TO FIX BOTH SIDE GLASS

JAL SEC. NO. 20747



SHUTTER FLY MESH




SECTION - B-B


BHANSALI ALUMINIUM

Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM-CLASSIC - 18mm SERIES - 3 TRACK




SECTION - A-A




SECTION - B-B

JAL SEC. NO. 20958




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20957




FRAME OUTER BOTTOM

JAL SEC. NO. 20814




FRAME GUTTER BOTTOM

JAL SEC. NO. 20791




SHUTTER FLY MESH

JAL SEC. NO. 20606




SHUTTER TOP & SIDE

JAL SEC. NO. 20605




SHUTTER INTERLOCK

JAL SEC. NO. 20604



SHUTTER BOTTOM

JAL SEC. NO. 20920




SHUTTER TO FIX BOTH SIDE GLASS


BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - B (SHUTTER SECTION - 18 mm.)




SL. No.	Section No.	A	Weight kg/m
1	20545	0.79	0.288
2	20805	0.91	0.325
3	20604	1.09	0.390
4	S3762	1.19	0.418
5	20844	1.29	0.456
6	21448	1.42	0.494
7	20736	1.55	0.547



SL. No.	Section No.	A	Weight kg/m
1	20547	0.79	0.289
2	20807	0.91	0.325
3	20606	1.09	0.390
4	21455	1.19	0.418
5	20846	1.29	0.456
6	21449	1.42	0.494
7	20738	1.55	0.547




SL. No.	Section No.	A	B	Weight kg/m
1	20687	43.00	1.30	0.424
2	20887	52.00	1.48	0.548





SL. No.	Section No.	A	B	Weight kg/m
1	20811	11.00	0.91	0.390
2	20963	11.00	1.13	0.488
3	20847	10.00	1.29	0.547
4	20652	11.00	1.30	0.547
4	20750	10.00	1.56	0.651

20567 0.601 kg/m



20577 0.522 kg/m





SL. No.	Section No.	A	Weight kg/m
1	20858	1.20	0.427
2	20876	1.34	0.471


BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


20802 0.520 kg/m




20803 0.598 kg/m




20532 0.304 kg/m




20739 0.909 kg/m




20893 0.434 kg/m




20920 0.503 kg/m




20925 0.549 kg/m




20926 0.641 kg/m




S3558 0.286 kg/m



S3559 0.431 kg/m



21430 0.307 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)

S3962 0.677 kg/m



S4007 0.677 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


20804 0.626 kg/m




20892 0.527 kg/m




20576 0.663 kg/m




20924 0.683 kg/m




21303 0.586 kg/m




21302 0.457 kg/m




20684 0.547 kg/m



20686 0.558 kg/m






SL. No.	Section No.	A	B	Weight kg/m
1	20546	8.34	0.80	0.346
2	20806	9.00	0.89	0.380
3	20605	8.70	1.00	0.440
4	21454	9.00	1.19	0.507
5	20845	9.00	1.29	0.547
6	20737	9.00	1.45	0.607

BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


21429 0.378 kg/m



21494 0.426 kg/m




S3963 0.798 kg/m




BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - B (SHUTTER SECTION - 18 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	20812	23.95	0.81	0.441
2	20966	23.85	1.00	0.547
3	20681	23.25	1.30	0.659
4	20829	22.70	1.50	0.784



SL. No.	Section No.	A	B	Weight kg/m
1	20813	23.95	0.85	0.547
2	20956	23.85	1.05	0.613
3	20619	23.70	1.20	0.695
4	20830	22.70	1.50	0.909



SL. No.	Section No.	A	B	Weight kg/m
1	20965	23.85	1.05	0.882
2	20657	23.45	1.30	1.055




SL. No.	Section No.	A	B	Weight kg/m
1	20814	22.95	1.18	1.302
2	21031	22.95	1.30	1.441
3	20617	22.70	1.50	1.659


BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - B (SHUTTER SECTION - 18 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	20816	23.60	0.95	0.683
2	20958	23.60	1.05	0.759
3	21447	23.60	1.20	0.856
4	20621	23.30	1.30	0.929
5	20831	22.70	1.50	1.060



SL. No.	Section No.	A	B	Weight kg/m
1	20815	23.60	0.88	0.739
2	20957	23.60	1.10	0.911
3	21446	23.60	1.20	0.986
4	20620	23.30	1.30	1.065
5	20832	22.70	1.50	1.248



SL. No.	Section No.	A	Weight kg/m
1	20817	1.10	0.976
2	20666	1.20	1.093



SL. No.	Section No.	A	B	Weight kg/m
1	20818	23.90	1.00	1.093
2	20706	23.90	1.10	1.205
3	20834	22.70	1.50	1.648


BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


21028 — 1.792 kg/m




21029 — 1.523 kg/m




20603 — 1.141 kg/m



20702 — 1.284 kg/m



20833 — 1.398 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


20636 1.388 kg/m



20667 1.148 kg/m



20674 1.829 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)


20635 — 1.130 kg/m




20839 — 0.492 kg/m




20645 — 1.690 kg/m






SL. No.	Section No.	A	Weight kg/m
1	21452	1.30	1.017
2	21051	1.47	1.106




SL. No.	Section No.	A	Weight kg/m
1	21453	1.30	0.923
2	20888	1.47	1.005

21431 — 0.813 kg/m



21432 — 0.592 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - B (SHUTTER SECTION - 18 mm.)

S3825 1.369 kg/m



S3870 1.033 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - C (SHUTTER SECTION - 20 mm.)


20529 0.642 kg/m




20530 0.571 kg/m




20544 0.495 kg/m






SL. No.	Section No.	A	Weight kg/m
1	20968	0.80	0.277
2	20931	1.00	0.342
3	20975	1.25	0.418
4	20709	1.50	0.488
5	21093	2.00	0.634




SL. No.	Section No.	A	Weight kg/m
1	20988	0.98	0.314
2	20710	1.10	0.355
3	21092	2.00	0.606


20551 0.484 kg/m




21022 0.539 kg/m



21357 0.571 kg/m



20972 0.451 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - C (SHUTTER SECTION - 20 mm.)


21283 0.512 kg/m



21320 0.477 kg/m




S3560 0.379 kg/m



BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - C (SHUTTER SECTION - 20 mm.)




SL. No.	Section No.	A	Weight kg/m
1	21052	1.00	0.409
2	20976	1.15	0.473
3	20708	1.50	0.605
4	21094	2.00	0.734


20531 0.697 kg/m




20566 0.693 kg/m




20840 0.594 kg/m




21356 0.678 kg/m



20973 0.503 kg/m




S3573 0.435 kg/m




BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - C (SHUTTER SECTION - 20 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	21053	24.20	1.00	0.630
2	20703	24.20	1.20	0.726
3	21139	23.30	1.50	0.902




SL. No.	Section No.	A	B	Weight kg/m
1	21054	24.10	1.05	0.777
2	20696	24.10	1.20	0.907
3	20978	23.20	1.40	1.066
4	21137	23.20	1.50	1.102
4	21100	23.05	2.00	1.342




SL. No.	Section No.	A	B	Weight kg/m
1	21055	24.10	1.00	0.866
2	20704	24.10	1.20	1.036
3	20977	23.20	1.45	1.217
4	21099	23.05	2.00	1.516



SL. No.	Section No.	A	B	Weight kg/m
1	20987	24.30	1.13	0.615
2	21138	23.30	1.50	0.807



SL. No.	Section No.	A	B	Weight kg/m
1	20910	24.00	1.30	1.394
2	21101	23.30	2.00	1.915



SL. No.	Section No.	A	B	Weight kg/m
1	20911	24.00	1.30	1.207
2	21098	23.30	2.00	1.670


BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - C (SHUTTER SECTION - 20 mm.)


20694 0.695 kg/m




20695 1.088 kg/m




20697 1.374 kg/m




21216 1.233 kg/m




21496 1.173 kg/m




S3552 1.313 kg/m



S3697 0.832 kg/m



S3698 1.232 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - C (SHUTTER SECTION - 20 mm.)

21495 1.174 kg/m




21501 1.336 kg/m



BHANSALI ALUMINIUM


Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM - PREMIUM - 25mm SERIES - 2 TRACK




SECTION - A-A

JAL SEC. NO. 20634




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20633




FRAME OUTER BOTTOM

JAL SEC. NO. 20676




FRAME GUTTER BOTTOM

JAL SEC. NO. 20707




SHUTTER TOP & SIDE

JAL SEC. NO. 20741




SHUTTER INTERLOCK

JAL SEC. NO. 20639



SHUTTER BOTTOM




SECTION - B-B


BHANSALI ALUMINIUM

Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM - PREMIUM - 25mm SERIES - 3 TRACK




SECTION - A-A




SECTION - B-B

JAL SEC. NO. 21032




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20798




FRAME OUTER BOTTOM

JAL SEC. NO. 20673




FRAME GUTTER BOTTOM

JAL SEC. NO. 20707




SHUTTER TOP & SIDE

JAL SEC. NO. 20741




SHUTTER INTERLOCK

JAL SEC. NO. 20639



SHUTTER BOTTOM

JAL SEC. NO. 20921




SHUTTER TO FIX BOTH SIDE GLASS

BHANSALI ALUMINIUM


ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)




SL. No.	Section No.	A	B	C	Weight kg/m
1	20841	43.00	1.33	9.70	0.569
2	20602	43.00	1.57	9.70	0.665
3	21030	43.00	1.98	9.70	0.828
4	21253	50.00	1.00	12.20	0.483
5	20707	50.00	1.20	12.20	0.593
6	21056	50.00	1.51	12.51	0.717




SL. No.	Section No.	A	Weight kg/m
1	21144	1.50	0.797
2	20715	1.70	0.886
3	21361	1.98	1.003


20506 0.717 kg/m




20507 0.642 kg/m




20516 0.560 kg/m




20518 0.675 kg/m




21393 0.508 kg/m




21045 0.475 kg/m




21355 0.598 kg/m



20746 0.529 kg/m



20543 0.669 kg/m




BHANSALI ALUMINIUM


ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)




SL. No.	Section No.	A	Weight kg/m
1	20639	1.15	0.678
2	20842	1.45	0.781




SL. No.	Section No.	A	Weight kg/m
1	21143	1.50	0.882
2	20716	2.00	1.119


20801 1.237 kg/m




20528 0.786 kg/m




20757 0.602 kg/m




20884 0.685 kg/m




20921 0.584 kg/m



20857 1.051 kg/m



20922 0.925 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)


20923 0.895 kg/m




21382 0.779 kg/m




S3304 0.638 kg/m




S3307 0.711 kg/m




21308 0.657 kg/m




21309 0.767 kg/m




21381 0.851 kg/m




21394 0.618 kg/m



21349 0.887 kg/m



21398 1.622 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)

21483 0.967 kg/m



21484 0.833 kg/m




BHANSALI ALUMINIUM


ARCHITECTURAL

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - D (SHUTTER SECTION - 25 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20939	1.40	0.678
2	20508	1.70	0.802




SL. No.	Section No.	A	Weight kg/m
1	20741	1.30	0.683
2	21091	1.48	0.776




SL. No.	Section No.	A	Weight kg/m
1	21145	1.50	0.985
2	20711	1.68	1.090


20517 0.698 kg/m




21046 0.595 kg/m



21354 0.685 kg/m



20882 0.748 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)


21380 0.901 kg/m




S3305 0.639 kg/m



21437 0.637 kg/m



21485 0.893 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	21032	19.10	1.40	1.005
2	20678	18.90	1.70	1.194


20677 — 1.674 kg/m




20740 — 1.006 kg/m




20798 — 1.160 kg/m




20675 — 0.274 kg/m




20633 — 0.676 kg/m




20634 — 0.619 kg/m



20873 — 0.846 kg/m



20874 — 0.800 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.)


20676 1.075 kg/m




20673 1.619 kg/m




20796 1.434 kg/m




20797 1.667 kg/m



20732 0.669 kg/m




21304 1.082 kg/m




BHANSALI ALUMINIUM

DETAILS OF SLIDING WINDOW SECTIONS


SERIES - D (SHUTTER SECTION - 25 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	21147	32.15	1.50	1.073
2	20713	31.00	2.00	1.429



SL. No.	Section No.	A	B	Weight kg/m
1	21149	32.10	1.50	1.539
2	20714	31.00	2.00	2.062




SL. No.	Section No.	A	Weight kg/m
1	21148	1.50	1.842
2	20717	2.00	2.572



SL. No.	Section No.	A	B	Weight kg/m
1	21146	32.15	1.50	1.308
2	20712	31.00	2.00	1.805

21321 2.329 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.) PART I


20799 — 2.339 kg/m




20800 — 3.160 kg/m




21346 — 0.735 kg/m




21460 — 0.621 kg/m



S3553 — 1.300 kg/m



S3554 — 1.457 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - D (SHUTTER SECTION - 25 mm.) PART I


21462 0.909 kg/m




S3871 1.208 kg/m




S3941 1.518 kg/m



S3872 1.072 kg/m




S3940 1.323 kg/m



BHANSALI ALUMINIUM


Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM - ULTRA - 30mm SERIES - 2 TRACK




SECTION - A-A

JAL SEC. NO. 20835




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20836




FRAME OUTER BOTTOM

JAL SEC. NO. 20553




SHUTTER TOP & SIDE

JAL SEC. NO. 20555




SHUTTER INTERLOCK

JAL SEC. NO. 20859




SHUTTER BOTTOM

JAL SEC. NO. 20979



SHUTTER TO FIX BOTH SIDE GLASS




SECTION - B-B


BHANSALI ALUMINIUM

Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM - ULTRA - 30mm SERIES - 3 TRACK




SECTION - A-A




SECTION - B-B

JAL SEC. NO. 20837




FRAME OUTER TOP & SIDE

JAL SEC. NO. 20838




FRAME OUTER BOTTOM

JAL SEC. NO. 20928




FRAME GUTTER BOTTOM

JAL SEC. NO. 20553




SHUTTER TOP & SIDE

JAL SEC. NO. 20555




SHUTTER INTERLOCK

JAL SEC. NO. 20859



SHUTTER BOTTOM

JAL SEC. NO. 20979




SHUTTER TO FIX BOTH SIDE GLASS


BHANSALI ALUMINIUM

Available at BHANSALI ALUMINIUM, Mumbai - 400002. www.bhansali.com

JINDAL WINDOW SYSTEM - ULTRA - 30mm SERIES - 4 TRACK




SECTION - A-A




SECTION - B-B

JAL SEC. NO. 21176




FRAME OUTER TOP & SIDE

JAL SEC. NO. 21175




FRAME OUTER BOTTOM

JAL SEC. NO. 20553




SHUTTER TOP & SIDE

JAL SEC. NO. 20535




SHUTTER INTERLOCK

JAL SEC. NO. 20859



SHUTTER BOTTOM

JAL SEC. NO. 20979




SHUTTER TO FIX BOTH SIDE GLASS

BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)




SL. No.	Section No.	A	Weight kg/m
1	20993	1.31	0.839
2	20772	1.50	0.948


20549 0.809 kg/m




20859 0.775 kg/m




20553 0.731 kg/m




20984 0.668 kg/m




20979 0.950 kg/m



21008 0.762 kg/m



21010 0.995 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


21197 1.071 kg/m




21246 1.305 kg/m




21412 0.592 kg/m




21414 0.705 kg/m




S3308 0.699 kg/m




21491 1.434 kg/m



21492 1.720 kg/m



21343 0.793 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)

21345 1.010 kg/m



S3937 0.766 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


20550 0.994 kg/m




20555 0.869 kg/m




21009 0.964 kg/m




21182 1.208 kg/m



21397 0.646 kg/m



21344 0.938 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


20835 0.904 kg/m




20836 1.039 kg/m




21217 1.502 kg/m




21407 1.543 kg/m




20659 1.278 kg/m




20660 1.709 kg/m



21205 0.846 kg/m



21247 1.745 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


20877 1.685 kg/m




20878 1.906 kg/m




20837 1.197 kg/m



20838 1.518 kg/m



20928 2.032 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


21203 — 2.073 kg/m




20631 — 1.613 kg/m



20632 — 1.408 kg/m



21206 — 1.223 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


21243 — 2.586 kg/m




21198 — 3.197 kg/m



21204 — 1.694 kg/m



21245 — 1.597 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - E (SHUTTER SECTION - 30 mm.)


21244 — 3.415 kg/m



21175 — 2.298 kg/m



21176 — 1.745 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - F (SHUTTER SECTION - 40 mm.)

21248 3.950 kg/m




21249 6.961 kg/m



SERIES - G (SHUTTER SECTION - 45 mm.)

21224 2.395 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - G (SHUTTER SECTION - 45 mm.)


21218 4.744 kg/m




21219 3.988 kg/m




21220 3.992 kg/m




21221 4.439 kg/m



21222 2.774 kg/m



21223 3.405 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - H (SHUTTER SECTION - 55 mm.)


21124 — 2.314 kg/m



21125 — 5.038 kg/m



21126 — 3.170 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - H (SHUTTER SECTION - 55 mm.)


21127 6.800 kg/m




21128 3.402 kg/m



21129 3.141 kg/m



21130 3.458 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - H (SHUTTER SECTION - 55 mm.)


21131 3.767 kg/m




21132 3.761 kg/m



21133 4.640 kg/m



21134 5.002 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - I (SHUTTER SECTION - 60 mm.)


21258 3.185 kg/m




21261 2.814 kg/m



21259 4.031 kg/m



21260 3.733 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - I (SHUTTER SECTION - 60 mm.)


21262 1.780 kg/m




21264 3.275 kg/m



21263 7.198 kg/m



21266 3.652 kg/m




BHANSALI ALUMINIUM

ARCHITECTURAL


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - I (SHUTTER SECTION - 60 mm.)


21265 — 2.815 kg/m



21267 — 3.642 kg/m



21268 — 6.662 kg/m




BHANSALI ALUMINIUM


DETAILS OF SLIDING WINDOW SECTIONS

SERIES - I (SHUTTER SECTION - 60 mm.)


21301 3.136 kg/m



21271 9.521 kg/m



21272 4.998 kg/m



BHANSALI ALUMINIUM